

**CLASSIFICATION:** 12 24 3.00 Furnishings: Roller Window Shades

**PRODUCT DESCRIPTION:** SilverScreen 202 and 205. Metallized Screen fabric for roller blinds / roller shades. Combines a very high reflectance of heat from sunlight with a good (one-way) view through. Provides heat insulation thanks to the low-E coating. Made out of PVC-coated glass fiber yarns. Flame retardant.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No  
*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No  
*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No  
*One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**SILVERSCREEN 202 + 205 [ POLYVINYL CHLORIDE (PVC) LT-P1 | RES  
FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI  
EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK 1,2-  
BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND  
LINEAR LT-UNK POLYURETHANE LT-P1 BARIUM ZINC COMPLEX NoGS  
ANTIMONY TRIOXIDE BM-1 | CAN | MUL BIS(2-ETHYLHEXYL)  
TEREPHTHALATE (BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED  
PIGMENTS)) BM-3dg 2,2,4-TRIMETHYL-1,3-PENTANEDIOL  
DIISOBUTYRATE LT-P1 | END POLYDIMETHYLSILOXANES LT-P1 | PBT  
ALUMINUM BM-1 | RES | PHY | END ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen  
Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Blind / Shading fabric based on a woven structure of PVC-coated glass fibers with a reflective aluminum coating. SilverScreen is compliant to: REACH, Greenguard Gold, ISO14001 and RoHS2.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified  
Multi-attribute: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive  
Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals  
Management: ISO 14001:2004 Environmental management systems

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared  
VERIFIER:

SCREENING DATE: 2020-04-28  
PUBLISHED DATE: 2020-04-28

Yes  
 No

VERIFICATION #:

EXPIRY DATE: 2023-04-28



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### SILVERSCREEN 202 + 205

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals common for plasticized PVC are not considered.

OTHER PRODUCT NOTES: n.a.

#### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-28

#: 36.00 - 40.00

GS: LT-P1

RC: None

NANO: No

ROLE: Yarn coating

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The PVC is fused in the final PVC coated fiberglass fabric. Any asthmagen health risks that are associated with the raw powder form of the substance are not applicable to this product and are based on contact with the powder form during manufacturing.

#### FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-28

#: 35.00 - 40.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Core of PVC coated yarn

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Continuous filament fibrous glass. Diameter > 6 micron

#### 1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR

ID: 68515-45-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-28

#: 10.00 - 20.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is solely composed of Dinonyl Phthalate, also known as L9P. This substance does not contain Diisononyl Phthalate, commonly referred to as DINP. Dinonyl Phthalate (L9P) is not identified as hazardous on any regulatory list (e.g. Prop 65).

### POLYURETHANE

ID: 64440-88-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-04-28**

#: **1.00 - 5.00** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Finishing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polyurethane Dispersion

### BARIUM ZINC COMPLEX

ID: Not registered

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-04-28**

#: **1.00 - 3.00** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Heat Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: none

### ANTIMONY TRIOXIDE

ID: 1309-64-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-04-28**

#: **0.60 - 1.10** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	GHS - Japan	Carcinogenicity - Category 1B [H350]

SUBSTANCE NOTES: The Antimony Trioxide flame retardant is bonded with the coating. All associated health risks are based on contact with the powder form during manufacture of the raw ingredient and do not indicate health risks associated with contact of the final product.

### BIS(2-ETHYLHEXYL) TEREPHTHALATE (BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED PIGMENTS))

ID: 6422-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-28**

#: **0.50 - 3.00**

GS: **BM-3dg**

RC: **None**

NANO: **No**

ROLE: **colour pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance covers the range of all pigments used in the PVC Coating. All pigments are dispersed in DOTP (CAS # 6422-86-2). CAS # 1314-98-3 is an example of a white pigment. All pigments are compliant with REACH, Red List, and Prop 65 programs.

### 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-28**

#: **0.30 - 0.90**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: In the final product, this plasticizer is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

### POLYDIMETHYLSILOXANES

ID: 63148-62-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-28**

#: **0.30 - 0.80**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES: In the final product, this lubricant is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

## ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-28**

#: **0.10 - 0.50**      GS: **BM-1**      RC: **None**      NANO: **No**      ROLE: **reflective coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: High purity metallic aluminum coating applied by Physical Vapor Deposition. Adhesion according to ISO 2409 classification 0 (no detachment of coating)

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**      ISSUE DATE: **2008-09-15**      EXPIRY DATE: **2020-09-15**      CERTIFIER OR LAB: **UL**  
APPLICABLE FACILITIES: **All**  
CERTIFICATE URL: <https://spot.ul.com/>  
CERTIFICATION AND COMPLIANCE NOTES: **Certificate 5451-420**

### MULTI-ATTRIBUTE

### ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CERTIFYING PARTY: **Self-declared**      ISSUE DATE: **2019-12-19**      EXPIRY DATE:      CERTIFIER OR LAB: **none**  
APPLICABLE FACILITIES: **all**  
CERTIFICATE URL:  
CERTIFICATION AND COMPLIANCE NOTES:

### MULTI-ATTRIBUTE

### REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CERTIFYING PARTY: **Self-declared**      ISSUE DATE: **2019-10-10**      EXPIRY DATE:      CERTIFIER OR LAB: **none**  
APPLICABLE FACILITIES: **all**  
CERTIFICATE URL: <https://echa.europa.eu>  
CERTIFICATION AND COMPLIANCE NOTES:

### MANAGEMENT

### ISO 14001:2004 Environmental management systems

CERTIFYING PARTY: **Third Party**      ISSUE DATE: **2008-02-20**      EXPIRY DATE: **2021-02-20**      CERTIFIER OR LAB: **Tuv Rheinland**  
APPLICABLE FACILITIES: **all**  
CERTIFICATE URL: <https://www.tuv.com>  
CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### MAINTENANCE

HPD URL: <https://verosol.com/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

**Maintenance:** Dust can be removed with a soft feather duster or by vacuum-cleaning with a soft brush at lowest position. When intensive cleaning is required, the coloured side can be cleaned with a wet cloth.

SilverScreen distinguishes itself from competitor products with: - highest solar reflectance - low-E coating - great performance - clear view-through and robust look and feel - high energy saving potential and visual comfort. - meets the highest fire safety standards





## MANUFACTURER INFORMATION

---

MANUFACTURER: **Verosol**

ADDRESS: **Kieftte 18**

**Eibergen Gelderland 7151HZ, The Netherlands**

WEBSITE: **www.verosol.com**

CONTACT NAME: **Robert Kuipers**

TITLE: **manager R&D**

PHONE: **+31545463333**

EMAIL: **r.kuipers@verosol.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*