


## Daybreak 2

Sheer Curtain Fabric

*Opulent Living*








Designer: Patricia Urquiola

*Luxury designer decorative sheer curtain fabric*

### Features

- Part of the Verosol Opulent Living Collection - Drapery fabrics developed to the highest quality standards
- Daybreak 2 is a unicoloured, transparent curtain with an open structure inspired by the light at dawn. As light conditions change throughout the day, so too does the mood the curtain projects
- Daybreak 2 boasts a natural linen look and is available in a selection of 22 designer colours
- Woven from 100% Polyester FR ensures soft drapability and easy care
- Daybreak 2 is inherently flame retardant making it ideal for both residential and commercial applications
- Daybreak 2 was designed by influential international designer Patricia Urquiola

### Cleaning and care

-  Wash at max. 60°C, mild process, drip dry
-  Do not bleach
-  Do not tumble dry
-  Iron at medium temperature (max. 150°C)
-  Professional dry cleaning with tetrachloroethylene, normal process

For more information visit [verosol.com.au](https://verosol.com.au) or call **1800 721 404**



Green Building  
Council Australia  
Member 2020-2021

# Daybreak 2

## Sheer Curtain Fabric

Fabric Density	Sheer	Weighted Hem - NO			
Composition	100% Polyester FR	Formaldehyde free			
Weight	270g/lin mtr				
Width	3000mm	Continuous	Nominal roll size	35 linneal metres	
Pattern	Solid				
Yarn type	Filament				
Binding	Plain				
Colour Fastness	Light [ISO 105-B02] 5 - 7				
Possible Shrinkage	2-3%				
Flame Retardancy [AS/NZS 1530.3-1999]	Ignitability Index	0 Range [0-20]			
	Spread of flame Index	0 Range [0-10]			
	Heat evolved Index	0 Range [0-10]			
	Smoke developed Index	2 Range [0-10]			
[AS/NZS 3837-1998]	Classification Group 1				
[International Standards]	BS 5867 Part 2 Type B	DIN 4102 B1   NF P 92 507 M1	EN 13 773 class 1   UNI 9177 Class 1	IMO FTP Code 2010:Part 7	
Certification	Greenguard	EPD to EN15804	HPD 2.1	REACH	
Aiflow Resistance [EN 29053]	Airflow Resistance of $R_s < 10$ Pa s/m				
Sound Absorption [EN ISO 354]	Report available upon request				
Designer	Patricia Urquiola				
Manufactured in	Turkey				
Cleaning					
Suitable Products	Curtains				

### Colour Range

