Verosol

Noon Sheer Curtain Fabric







Flame Retardant



Curtains

Designer: Patricia Urquiola

Luxury designer decorative sheer curtain fabric

Features

- Part of the Verosol Opulent Living Collection Drapery fabrics developed to the highest quality standards
- Noon is soft, transparent and features subtle vertical stripes and has a natural look and texture
- As the light conditions change, the colour and structure of the curtains appear to change too. The mood they project changes throughout the course of the day. Noon features a colour palette of 12 neutral tones & some brighter shades
- Woven from 100% Polyester FR, Noon ensures soft drapability and easy care
- Noon is inherently flame retardant making it ideal for both residential and commercial applications
- Noon was designed by influencial international designer Patricia Urquiola

Cleaning and care

- 60/ Wash at max. 60°C, mild process, drip dry
- 🖄 🛛 Do not bleach
- 🕅 🛛 Do not tumble dry
- ☐ Iron at medium temperature (max. 150°C)
- Professional dry cleaning with tetrachloroethylene, normal process

For more information visit verosol.com.au or call 1800 721 404



Noon Sheer Curtain Fabric

Fabric Density	Sheer	Weighted Hem - NO		
Composition	100% Polyester FR	Formaldehyde free	••••••	• • • • • • • • • • • • • • • • • • • •
Weight	180g/lin mtr	••••••	••••••••	•••••••••••••••••
Width	3000mm	Continuous	Nominal roll size	35 linneal metres
Pattern	Solid	•••••	••••••	••••••
Yarn type	Filament	••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••
Binding	Plain	••••••		
Colour Fastness	Light [ISO 105-B02] 6 - 7	••••••		
Possible Shrinkage	1%			
Flame Retardancy [AS/NZS 1530.3-1999]	Ignitability Index Spread of flame Index Heat evolved Index Smoke developed Index	0 Range [0-20] 0 Range [0-10] 0 Range [0-10] 2 Range [0-10]		
[International Standards]	BS 5867 Part 2 Type B	DIN 4102 B1 NF P 92 507 M1	EN 13 773 class 1 UNI 9177 Class 1	IMO FTP Code 2010:Part 7
Certification	Greenguard	EPD to EN15804	HPD 2.1	REACH
Aiflow Resistance [EN 29053]	Airflow Resistance of R _s < 10 Pa s/m			
Sound Absorption [EN ISO 354]	Report available upon request			
Designer	Patricia Urquiola	•••••		
Manufactured in	Turkey	••••••	••••••	•••••••••••••••••
Cleaning	\ <u>@</u> / Ҳ ⊠ ⊂ P	••••••	••••••	•••••••••••••••••
Suitable Products	Curtains	• • • • • • • • • • • • • • • • • • • •	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••



Care: $\underline{0} \otimes \overline{2} \otimes \overline{2} \otimes \overline{2}$

© Copyright 2020 Verosol Australia [ABN 36 006 221 003] Updated July 2020 Information supplied was current at time of printing. Please refer to Warranty Terms & Conditions at www.verosol.com.au for more information. Specifications and other data are based on information available at the time of preparation of this document and are subject to production to learances and/or change without prior notice. Please note that test results may vary slightly depending on fabric colour. Note: All colours are a representative only, please request a sample for accurate colour representation at www.verosol.com.au.