

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing  
A.B.N 43 006 014 106  
1st Floor, 191 Racecourse Road, Flemington, Victoria 3031  
P.O Box 240, North Melbourne, Victoria 3051  
Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT

**Client :** Verosol  
2 Garema Circuit  
Kingsgrove NSW 2208

**Test Number :** 18-007047  
**Issue Date :** 21/01/2019  
**Print Date :** 23/01/2019

**Sample Description** Clients Ref : "SilverScreen Enviro"  
Woven coated fabric  
Colour : Fawn face/ silver back  
End Use : Roller Blinds  
Nominal Composition : 100% Polyester (PVC coating Formaldehyde Free)  
Nominal Mass per Unit Area/Density : 250 g/m<sup>2</sup> +/- 5%  
Nominal Thickness : 0.50mm +/- 5%

**AS/NZS 3837-1998** Method of Test for Heat and Smoke Release Rates for Materials and Products using an Oxygen Consumption Calorimeter

Date Tested 21/01/2019  
Operator AWTA Test Operator 3  
Face Tested Face

	Specimen				
	1	2	3	Mean	
Average Heat Release Rate	11.0	11.0	12.3	11.5	kW/m <sup>2</sup>
Average Specific extinction area	496.9	575.2	711.3	594.4	m <sup>2</sup> /kg

(according to Specification C1.10 of the Building Code of Australia)

Test orientation : Horizontal

	Specimen				
	1	2	3	Mean	
Irradiance	50	50	50	50	kW/m <sup>2</sup>
Exhaust flow rate	0.024	0.024	0.024	0.024	m <sup>3</sup> /s
Time to sustained flaming	45	44	35	41	sec
Test duration	430	416	327	391	sec
Peak heat release after ignition	124.8	144.9	126.5	132.1	kW/m <sup>2</sup>
Average heat at 60 s	47.3	49.6	44.1	47.0	kW/m <sup>2</sup>

95185

32558

Page 1 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing  
A.B.N 43 006 014 106  
1st Floor, 191 Racecourse Road, Flemington, Victoria 3031  
P.O Box 240, North Melbourne, Victoria 3051  
Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT

**Client :** Verosol  
2 Garema Circuit  
Kingsgrove NSW 2208

**Test Number :** 18-007047  
**Issue Date :** 21/01/2019  
**Print Date :** 23/01/2019

Average heat at 180 s	19.9	19.9	17.2	19.0	kW/m <sup>2</sup>
Average heat at 300 s	13.2	13.0	12.0	12.7	kW/m <sup>2</sup>
Total heat released	4.3	4.1	3.6	4.0	MJ/m <sup>2</sup>
Average effective heat of combustion	17.0	15.1	14.5	15.5	MJ/kg
Initial thickness	2	2	1	1.7	mm
Initial mass	2.4	3.1	2.2	2.6	g
Mass at sustained flaming	2.1	3.0	2.0	2.4	g
Mass remaining	0.4	0.9	0.0	0.4	g
Mass percentage pyrolysed	83.7	71.3	100.0	85.0	%
Mass loss	0.2	0.3	0.3	0.3	kg/m <sup>2</sup>
Average rate of mass loss	2.5	7.3	1.7	3.8	g/m <sup>2</sup> .s
Additional Observations	None				
Difficulties Encountered during Testing	None				

These test results relate only to the behaviour of the product under the conditions of the test, they are not intended to be the sole criterion for assessment of performance under real fire conditions.

The results of these fire tests may be used to directly assess fire hazard, but it should be recognised that a single test method will not provide a full assessment of the fire hazard under all fire conditions.

Tests were conducted with a wire grid placed over the sample during testing. This was done to contain intumescent sample within the sample holder.

Tests were conducted with a simulated airgap, consisting of the sample resting on a 12mm spacer.

95185

32558

Page 2 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499


## TEST REPORT

**Client :** Verosol  
2 Garema Circuit  
Kingsgrove NSW 2208


**Test Number :** 18-007047  
**Issue Date :** 21/01/2019  
**Print Date :** 23/01/2019

**Specimen :** 1


**Heat release rate (kW/m<sup>2</sup>)**




**Effective heat of combustion (MJ/kg)**



**Smoke production rate ([m<sup>2</sup>/s])**



**Specific extinction area (m<sup>2</sup>/kg)**



95185

32558

Page 3 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing

- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT


**Client :** Verosol  
2 Garema Circuit  
Kingsgrove NSW 2208

**Test Number :** 18-007047  
**Issue Date :** 21/01/2019  
**Print Date :** 23/01/2019


Mass loss rate (g/s)




Total heat released (MJ/m<sup>2</sup>)



Mass (g)



Rate of smoke release ([m<sup>2</sup>/s)/m<sup>2</sup>)



95185

32558

Page 4 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing

- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing  
 A.B.N 43 006 014 106  
 1st Floor, 191 Racecourse Road, Flemington, Victoria 3031  
 P.O Box 240, North Melbourne, Victoria 3051  
 Phone (03) 9371 2400 Fax (03) 9371 2499


## TEST REPORT

**Client :** Verosol  
 2 Garema Circuit  
 Kingsgrove NSW 2208


**Test Number :** 18-007047  
**Issue Date :** 21/01/2019  
**Print Date :** 23/01/2019

**Specimen :** 2


**Heat release rate (kW/m<sup>2</sup>)**




**Effective heat of combustion (MJ/kg)**



**Smoke production rate ([m<sup>2</sup>/s])**



**Specific extinction area (m<sup>2</sup>/kg)**



95185

32558

Page 5 of 8

© Australian Wool testing Authority Ltd  
 Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
 - Chemical Testing  
 - Mechanical Testing  
 - Performance & Approvals Testing

: Accreditation No. 983  
 : Accreditation No. 985  
 : Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)  
 MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT


**Client :** Verosol  
2 Garema Circuit  
Kingsgrove NSW 2208

**Test Number :** 18-007047  
**Issue Date :** 21/01/2019  
**Print Date :** 23/01/2019


Mass loss rate (g/s)




Total heat released (MJ/m²)



Mass (g)



Rate of smoke release ([m²/s]/m²)



95185

32558

Page 6 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing

- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499


## TEST REPORT

**Client :** Verosol  
2 Garema Circuit  
Kingsgrove NSW 2208


**Test Number :** 18-007047  
**Issue Date :** 21/01/2019  
**Print Date :** 23/01/2019

**Specimen :** 3


**Heat release rate (kW/m<sup>2</sup>)**




**Effective heat of combustion (MJ/kg)**



**Smoke production rate ([m<sup>2</sup>/s])**



**Specific extinction area (m<sup>2</sup>/kg)**



95185

32558

Page 7 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing

- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT


**Client :** Verosol  
2 Garema Circuit  
Kingsgrove NSW 2208

**Test Number :** 18-007047  
**Issue Date :** 21/01/2019  
**Print Date :** 23/01/2019


Mass loss rate (g/s)




Total heat released (MJ/m²)



Mass (g)



Rate of smoke release ([m²/s)/m²)



95185

32558

Page 8 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing

- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR