

Ambience Twin Roller Blind

Product Information

Ambience Twin Roller Blind is the most versatile shading control system for your home or office.

A robust system incorporating two Ambience roller blinds housed together within the one bracket. Both blinds are independently operated by use of either a chain control or motorisation. Ideal solution for day and night use.

Suitable for both Commercial and Residential use.

The system can utilise a combination of any of the Verosol Roller Fabrics – select a blockout fabric for total privacy or a transparent or semi-transparent fabric to provide vision through.

Further Information

To find out more information call Verosol Customer Care on 1800 721 404 or visit www.verosol.com.au



Technical Information

Product Code	R201.0	
Product Name	Ambience Twin Roller Blind	
Operation	Stainless Steel Chain Operation	
Dimensions	Width	300mm minimum - 3000mm maximum
	Drop	300mm minimum - 3000mm maximum
	Spring Assist	850mm minimum width
	Maximum Area	6m ² without Spring Assist / 8m ² with Spring Assist
Roller Tube	Light	43mm - optimised for fabric weight and width of blind to reduce tube deflection
	Standard	44mm - optimised for fabric weight and width of blind to reduce tube deflection
	Heavy Duty	49mm - optimised for fabric weight and width of blind to reduce tube deflection
Base Rail Options	Flat [11mm x 22mm], Round [22mm], Verosol [17mm x 28mm] or Elliptical [11mm x 22mm]	
	Colours	Paint: White, Black and Sandstone Anodised: Clear
Control	Mechanism	Direct action, high tensile would steel spring which operated in such a way that it only applies the precise braking power necessary to keep the blind in the desired position.
	Idler	Extendable pin idle-end for easy installation. The idle-end extends up to 10mm in increments of 1mm for improved installation.
	Colours	Paint: White, Black, Sandstone and Silver Grey
	Chain	PVC, Nickel Plated Steel or Stainless Steel
Brackets	Slim BB	Both fabrics are back rolled [controls on same side]
	Slim FB	Top fabric is front rolled and bottom fabric is back rolled [controls on same side]
	Slimline Combo	Top fabric is front rolled and bottom fabric is back rolled [controls on opposite sides]
	Square Combo	Top fabric is front rolled and bottom fabric can be either front or back rolled [controls on same side]
	Colours	White, Black, Sandstone and Silver Grey

Turn over for motorisation and optional extras


Ambience Twin Roller Blind

Motorisation

Product Code	R2011	R301.4 R301.5	R201.6
Product Name	Ambience Twin Roller Blind	Ambience Twin Roller Blind	Ambience Twin Roller Blind
Operation	15V 12V Wirefree	12 Wirefree Sonesse 30 RTS	240V AC Motorised
		12V Wirefree Sonesse 40 RTS	Motor Types: LS40 RTS40 LS40 Sonesse RTS40 Sonesse Automate ML Automate EL
Dimensions	Min Width: 1.1Nm: 640mm 2Nm: 740mm 3Nm: 950mm	Sonesse 30 RTS Sonesse 40 RTS 685mm min 750mm min	Width: 600mm min - 3000mm max
	Max Width: 3000mm	Max Width: 3000mm	Max Width: 3000mm
	Drop: 300mm min - 3000mm max	Drop: 300mm min - 3000mm max	Drop: 300mm min - 3000mm max
	Maximum Area: 1.1Nm: 5kg 2.0Nm: 8kg 3.0Nm: 12kg	Maximum Area: 6m ²	Maximum Area: 9m ²

System Diagrams


Ambience Twin Roller Blind



Note: Square Combo & Slimline Combo brackets are symmetrical. Light gaps on both sides are 14mm as illustrated above [chain op]


Note: Light Gaps will vary by: Bracket type, Chain or Motor operation, and Type of motor selected. Visit verosol.com.au or call 1800 721 404 for more information.

Slim Combo BB




Max. roll diameter: 68mm

Slim Combo FB




Max. roll diameter: 68mm

Square Combo Bracket



Max. roll diameter: 72mm

Slimline Bracket



Max. roll diameter: 65mm